

 APOLLO

NEO















 **APOLLO**

NEO



NEO RANGE OVERVIEW

	GIRL'S	BOY'S
NEO 24		
NEO 20 GEARED		
NEO 20		
NEO 16		
NEO 12		
NEO JR		



NEO 24 GIRL'S GEARED

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	Lightweight alloy frame with low stand over height	BOTTOM BRACKET	Nutted bottom bracket	WHEELS	Lightweight alloy 32 hole double wall rims with alloy hubs with nutted axles
FORK	24" lightweight rigid 6061 alloy fork with 25.4 straight blades	PEDALS	High Impact plastic	TYRES	24" x 1.5 slick
HEADSET	Semi-sealed 1-1/8" A-head	F. DERAILLEUR	N/A	SADDLE	Apollo youth saddle
HANDLEBAR	Lightweight alloy low riser 560mm	R. DERAILLEUR	Shimano TX-35	SEATPOST / CLAMP	27.2mm alloy micro adjust with quick release clamp
GRIP	Kraton grips	SHIFT LEVERS	Shimano Revoshift 7 speed rear	EXTRAS	Alloy kickstand
HEADSTEM	Alloy A-head 4 Bolt stem with Rise: 10" Bore: 25.4mm, L: 60mm.	CASSETTE	Shimano MF TZ21 14-28T 7 speed freewheel		
CRANKSET	Oversize 3 piece crank with 36T chainwheel and double chainguard	CHAIN	KMC Z-51		
		BRAKES	Alloy linear pull brakes		

NEO 24 BOY'S GEARED

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	Lightweight alloy frame with low stand over height	BOTTOM BRACKET	Nutted bottom bracket	WHEELS	Lightweight alloy 32 hole double wall rims with alloy hubs with nutted axles
FORK	24" lightweight rigid 6061 alloy fork with 25.4 straight blades	PEDALS	High Impact plastic	TYRES	24" x 1.5 slick
HEADSET	Semi-sealed 1-1/8" A-head	F. DERAILLEUR	N/A	SADDLE	Apollo youth saddle
HANDLEBAR	Lightweight alloy low riser 560mm	R. DERAILLEUR	Shimano TX-35	SEATPOST / CLAMP	27.2mm alloy micro adjust with quick release clamp
GRIP	Kraton grips	SHIFT LEVERS	Shimano Revoshift 7 speed rear	EXTRAS	Alloy kickstand
HEADSTEM	Alloy A-head 4 Bolt stem with Rise: 10° Bore: 25.4mm, L: 60mm.	CASSETTE	Shimano MF TZ21 14-28T 7 speed freewheel		
CRANKSET	Oversize 3 piece crank with 36T chainwheel and double chainguard	CHAIN	KMC Z-51		
		BRAKES	Alloy linear pull brakes		

NEO 20 GIRL'S GEARED

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	CRANKSET	Oversize 3 piece crank with 36T chainwheel and double chainguard	WHEELS	Lightweight alloy 32 hole rims with alloy hubs with nutted axles
FORK	20" lightweight 6061 alloy with 25.4 straight blades	BOTTOM BRACKET	Nutted bottom bracket	TYRES	20" x 1.75 slick
HEADSET	Semi-sealed 1-1/8" A-head	PEDALS	High Impact plastic	SADDLE	Apollo youth saddle
HANDLEBAR	Lightweight alloy low riser 560mm	F. DERAILLEUR	N/A	SEATPOST / CLAMP	22.2mm alloy with quick release clamp
GRIP	Kraton grips	R. DERAILLEUR	Shimano TX-35	EXTRAS	Kickstand
HEADSTEM	Alloy A-head 4 Bolt stem with Rise: 10° Bore: 25.4mm, L: 60mm.	SHIFT LEVERS	Shimano Revoshift 6 speed rear		
		CASSETTE	Shimano MF TZ06 14-28T 6 speed freewheel		
		BRAKES	Alloy linear pull brakes		

NEO 20 BOY'S GEARED

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	CRANKSET	Oversize 3 piece crank with 36T chainwheel and double chainguard	WHEELS	Lightweight alloy 32 hole rims with alloy hubs with nutted axles
FORK	20" lightweight 6061 alloy with 25.4 straight blades	BOTTOM BRACKET	Nutted bottom bracket	TYRES	20" x 1.75 slick
HEADSET	Semi-sealed 1-1/8" A-head	PEDALS	High Impact plastic	SADDLE	Apollo youth saddle
HANDLEBAR	Lightweight alloy low riser 560mm	F. DERAILLEUR	N/A	SEATPOST / CLAMP	22.2mm alloy with quick release clamp
GRIP	Kraton grips	R. DERAILLEUR	Shimano TX-35	EXTRAS	Kickstand
HEADSTEM	Alloy A-head 4 Bolt stem with Rise: 10° Bore: 25.4mm, L: 60mm.	SHIFT LEVERS	Shimano Revoshift 6 speed rear		
		CASSETTE	Shimano MF TZ06 14-28T 6 speed freewheel		
		BRAKES	Alloy linear pull brakes		

NEO 20 GIRL'S

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	BOTTOM BRACKET	Nutted bottom bracket	TYRES	20" x 1.75 slick
FORK	20" lightweight 6061 alloy with 25.4 straight blades	PEDALS	High Impact plastic	SADDLE	Apollo youth saddle
HEADSET	Semi-sealed 1-1/8" A-head	F. DERAILLEUR	N/A	SEATPOST / CLAMP	22.2mm alloy with quick release clamp
HANDLEBAR	Lightweight alloy low riser 560mm	R. DERAILLEUR	N/A	EXTRAS	Kickstand
GRIP	Kraton grips	CASSETTE	18T sprocket		
HEADSTEM	Alloy A-head 4 Bolt stem with Rise: 10° Bore: 25.4mm, L: 60mm.	BRAKES	Short reach brake levers, coaster back pedal rear brake, alloy calliper pull front brake		
CRANKSET	44T one piece crank	WHEELS	Alloy 32 hole rims with alloy front hub and coaster foot brake rear hub		

NEO 20 BOY'S

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	BOTTOM BRACKET	Nutted bottom bracket	TYRES	20" x 1.75 slick
FORK	20" lightweight 6061 alloy with 25.4 straight blades	PEDALS	High Impact plastic	SADDLE	Apollo youth saddle
HEADSET	Semi-sealed 1-1/8" A-head	F. DERAILLEUR	N/A	SEATPOST / CLAMP	22.2mm alloy with quick release clamp
HANDLEBAR	Lightweight alloy low riser 560mm	R. DERAILLEUR	N/A	EXTRAS	Kickstand
GRIP	Kraton grips	CASSETTE	18T sprocket		
HEADSTEM	Alloy A-head 4 Bolt stem with Rise: 10° Bore: 25.4mm, L: 60mm.	BRAKES	Short reach brake levers, coaster back pedal rear brake, alloy calliper pull front brake		
CRANKSET	44T one piece crank	WHEELS	Alloy 32 hole rims with alloy front hub and coaster foot brake rear hub		

NEO 16 GIRL'S

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	BOTTOM BRACKET	Nutted bottom bracket	TYRES	16" x 1.75" slick
FORK	Lightweight alloy 16" with 25.4mm straight blades	PEDALS	High Impact plastic	SADDLE	Apollo youth saddle
HANDLEBAR	Lightweight alloy low riser 500mm	F. DERAILLEUR	N/A	SEATPOST / CLAMP	22.2mm alloy with quick release clamp
GRIP	Kraton grips	R. DERAILLEUR	N/A	EXTRAS	Training wheels
HEADSTEM	Alloy 2 bolt quill stem for improved adjustability	CASSETTE	18T sprocket		
CRANKSET	36T one piece crank	BRAKES	Short reach brake levers, coaster back pedal rear brake, alloy calliper pull front brake		
		WHEELS	Alloy 28 hole rims with alloy front hub and coaster foot brake rear hub		

NEO 16 BOY'S

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	BOTTOM BRACKET	Nutted bottom bracket	TYRES	16" x 1.75" slick
FORK	Lightweight alloy 16" with 25.4mm straight blades	PEDALS	High Impact plastic	SADDLE	Apollo youth saddle
HANDLEBAR	Lightweight alloy low riser 500mm	F. DERAILLEUR	N/A	SEATPOST / CLAMP	22.2mm alloy with quick release clamp
GRIP	Kraton grips	R. DERAILLEUR	N/A	EXTRAS	Training wheels
HEADSTEM	Alloy 2 bolt quill stem for improved adjustability	CASSETTE	18T sprocket		
CRANKSET	36T one piece crank	BRAKES	Short reach brake levers, coaster back pedal rear brake, alloy calliper pull front brake		
		WHEELS	Alloy 28 hole rims with alloy front hub and coaster foot brake rear hub		

NEO 12 GIRL'S

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	PEDALS	High Impact plastic	SEATPOST / CLAMP	22.2mm alloy with quick release clamp
FORK	Lightweight alloy 12" with 25.4mm straight blades	F. DERAILLEUR	N/A	EXTRAS	Reinforced training wheels
HANDLEBAR	Lightweight alloy low riser 500mm	R. DERAILLEUR	N/A		
GRIP	Kraton grips	CASSETTE	16T sprocket		
HEADSTEM	Alloy 2 bolt stem	BRAKES	Coaster back pedal rear brake		
CRANKSET	28T one piece crank	WHEELS	Alloy 16 hole rims with alloy front hub and coaster foot brake		
BOTTOM BRACKET	Nutted bottom bracket	TYRES	12-1/2" x 2-1/4" slick		
		SADDLE	Apollo youth saddle		

NEO 12 BOY'S

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	PEDALS	High Impact plastic	SEATPOST / CLAMP	22.2mm alloy with quick release clamp
FORK	Lightweight alloy 12" with 25.4mm straight blades	F. DERAILLEUR	N/A	EXTRAS	Reinforced training wheels
HANDLEBAR	Lightweight alloy low riser 500mm	R. DERAILLEUR	N/A		
GRIP	Kraton grips	CASSETTE	16T sprocket		
HEADSTEM	Alloy 2 bolt stem	BRAKES	Coaster back pedal rear brake		
CRANKSET	28T one piece crank	WHEELS	Alloy 16 hole rims with alloy front hub and coaster foot brake		
BOTTOM BRACKET	Nutted bottom bracket	TYRES	12-1/2"X2-1/4" slick		
		SADDLE	Apollo youth saddle		

NEO JR GIRL'S

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	BOTTOM BRACKET	N/A	WHEELS	Alloy rims with 16 hole alloy hubs
FORK	Lightweight alloy 12" with 25.4mm straight blades	PEDALS	N/A	TYRES	12-1/2" x 2-1/4" slick
HANDLEBAR	Lightweight alloy low riser 500mm	F. DERAILLEUR	N/A	SADDLE	Apollo youth saddle
GRIP	Kraton grips	R. DERAILLEUR	N/A	SEATPOST / CLAMP	22.2mm alloy post
HEADSTEM	Alloy 2 bolt stem	SHIFT LEVERS	N/A	EXTRAS	Alloy kickstand
CRANKSET	N/A	CASSETTE	N/A		
		CHAIN	N/A		
		BRAKES	N/A		

NEO JR BOY'S

Industry leading lightweight bicycles



SPECIFICATIONS

FRAME	The benchmark in lightweight, easy to ride alloy frames with low stand over height	BOTTOM BRACKET	N/A	WHEELS	Alloy rims with 16 hole alloy hubs
FORK	Lightweight alloy 12" with 25.4mm straight blades	PEDALS	N/A	TYRES	12-1/2" x 2-1/4" slick
HANDLEBAR	Lightweight alloy low riser 500mm	F. DERAILLEUR	N/A	SADDLE	Apollo youth saddle
GRIP	Kraton grips	R. DERAILLEUR	N/A	SEATPOST / CLAMP	22.2mm alloy post
HEADSTEM	Alloy 2 bolt stem	SHIFT LEVERS	N/A	EXTRAS	Alloy kickstand
CRANKSET	N/A	CASSETTE	N/A		
		CHAIN	N/A		
		BRAKES	N/A		



Proudly Distributed By

Apollo Bicycle Company Pty. Ltd.

ABN 60 001 914 469

Melbourne

3/333 Frankston Dandenong Rd,
Dandenong South, VIC 3175

Phone (03) 9700 9400

apollobikes.com

